

View Online at <https://aerobasegroup.com/nsn/5950-01-369-0823>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.438 inches all mounting facilities all center groupings

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches all mounting facilities all center groupings

**Mounting Hole Diameter:**

0.158 inches all groupings

**Frequency Rating:**

400.0 hertz all components

**Input-output Phase Relationship:**

Three phase to six phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal all components

**Body Length:**

3.440 inches

**Body Width:**

2.680 inches

**Body Height:**

1.550 inches

**Distance Between Mounting Facility Centers:**

2.000 inches single mounting facili type 1st center group 2.438 inches single mounting facili type 2nd center group

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 all groupings

**Mounting Method:**

Unthreaded hole all groupings

**Winding Function And Quantity:**

1 primary single component and 3 secondary single component

**Winding Operating Current:**

55.0 milliamperes ac single component single primary

**Winding Operating Voltage:**

31.00 ac pounds per hour wet single component 1st secondary 31.00 ac pounds per hour wet single component 2nd secondary 20.00 ac pounds per hour wet single component 3rd secondary 200.00 ac pounds per hour wet single component single primary

**Terminal Type And Quantity:**

13 wire lead

**Specification Data:**

99167-5909037 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0