NSN 5950-01-369-5694



Reactor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-369-5694 **Reliability Indicator:** Not established **Inductance Type:** Fixed **Inductance Rating:** 0.125 millihenries single component all winding Frequency Rating: 10.0 kilohertz single component **Body Length:** 0.280 inches **Overall Diameter:** 0.410 inches **Maximum Operating Temp:** 130.0 degrees celsius Winding Quantity: 2 single component **Inclosure Type:** Fully enclosed **Mounting Method:** Terminal single group **Rating Method:** Electrical single component all winding **Winding Operating Current:** 760.0 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 0.325 single component all winding **Special Features:** Windings may be connected series or parallel **Test Data Document:** 81349-mil-prf-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 4 wire lead **Specification Data:** 81349-mil-prf-27/356 government specification Shelf Life: N/a **Unit Of Measure:**

Fiig: A058b0

No

Demilitarization:

NSN 5950-01-369-5694

Reactor - Page 2 of 2



Mil-std (military Standard):

Mil-prf-27 spec.