NSN 5950-01-370-4023



Power Transformer - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5950-01-370-4023
Reliability Indicator:
Not established
Overall Length:
3.375 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.500 inches 1st mounting facility all center groupings
Overall Height:
2.620 inches
Frequency Rating:
60.0 hertz all components
Input-output Phase Relationship:
Single phase to single phase all components
Maximum Transformer Power Rating:
20.0 volt-ampere all components
Body Length:
3.000 inches
Body Width:
2.375 inches
Body Height:
1.930 inches
Maximum Operating Temp:
130.0 degrees celsius
Distance Between Mounting Facility Centers:
0.500 inches 1st mounting facility all center groupings
Inclosure Type:
Fully enclosed

Mounting Method:

Bracket single group and plug-in single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

250.0 milliamperes ac single component single primary

Winding Power Rating:

20.0 volts-amperes single component single secondary

Winding Operating Voltage:

24.00 ac volts single component single secondary

Special Features:

Bracket has 4-40 screw to attach to receptacle

NSN 5950-01-370-4023

Power Transformer - Page 2 of 2



Test Data Document:

Ocru0-1855078 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

1 te	erminal	block	w/screws	and 2	2 quick	disconnect,	male
------	---------	-------	----------	-------	---------	-------------	------

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0