## NSN 5950-01-370-5374

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-370-5374

View Online at https://aerobasegroup.com/nsn/5950-01-370-5374
Reliability Indicator:
Not established
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
1.090 inches
Body Width:
1.090 inches
Body Height:
0.590 inches
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
115.0 milliamperes ac single component single secondary
Winding Operating Voltage:
26.00 ac volts single component single secondary
Special Features:
Configuration b requires a pad on the bottom of the item; 0.750 in.Dia
Test Data Document:
81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 pin
Specification Data:
8134927/39-18b government specification
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5950-01-370-5374

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0

Mil-std (military Standard):

Mil-prf-27 spec.