

View Online at <https://aerobasegroup.com/nsn/5950-01-371-0213>

Reliability Indicator:

Not established

Frequency Rating:

50.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

0.700 inches

Body Outside Diameter:

1.000 inches

Maximum Operating Temp:

155.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

2 primary single component and 1 secondary single component

Features Provided:

Tinned wire leads

Thread Size:

0.112 inches single group

Winding Operating Current:

40.0 milliamperes ac single component single secondary and 100.0 milliamperes ac single component single secondary

Winding Operating Voltage:

480.00 ac volts single component single secondary and 1.20 ac kilovolts single component single secondary

Test Data Document:

07960-632895 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0