NSN 5950-01-371-1749

Reactor-transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-371-1749

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.800 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.438 inches single mounting facility single center group

Inductance Rating:

4.74 millihenries single component single winding

Frequency Rating:

100.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

2.670 inches

Body Width:

1.300 inches

Body Height:

0.930 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component single winding

Winding Function And Quantity:

1 primary single component and 1 secondary single component and 1 tertiary single component

Thread Size:

0.112 inches single group

Winding Operating Current:

1.4 amperes ac single component single secondary

Dc Resistance Rating In Ohms:

5.500 single component single winding

Winding Operating Voltage:

75.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

6 pin

NSN 5950-01-371-1749

Reactor-transformer - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0