# NSN 5950-01-371-3149

Current Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-371-3149

Reliability	Indicator:
-------------	------------

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.720 inches single mounting facility single center group and 1.760 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.630 inches single mounting facility single center group and 1.670 inches single mounting facility single center group

#### **Overall Width:**

Between 1.990 inches and 2.030 inches

#### **Mounting Slot Width:**

0.250 inches single group and 0.290 inches single group

#### Frequency Rating:

50.0 hertz all components and 400.0 hertz all components

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Maximum Transformer Power Rating:**

2.0 volt-ampere single component

#### **Body Length:**

Between 2.400 inches and 2.440 inches

#### **Body Height:**

Between 2.670 inches and 2.710 inches

# Inclosure Type:

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Slot single group

# Winding Function And Quantity:

1 secondary single component

#### **Winding Operating Current:**

75.0 amperes ac single component single primary5.0 amperes ac single component single secondary

## **Special Features:**

Primary rated but not included

### **Terminal Type And Quantity:**

2 threaded stud

# Shelf Life:

N/a

#### **Unit Of Measure:**

--

## Demilitarization:

No

#### Fiig:

A058b0