

View Online at <https://aerobasegroup.com/nsn/5950-01-372-2029>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.875 inches single mounting facility single center group

Mounting Slot Width:

0.375 inches all groupings

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Maximum Transformer Power Rating:

250.0 volt-ampere single component

Body Length:

4.500 inches

Body Width:

5.188 inches

Body Height:

5.063 inches

End Application:

(16505) panel control

Inclosure Type:

Open

Mounting Facility Quantity:

8 all groupings

Mounting Method:

Slot all groupings

Winding Function And Quantity:

2 primary single component and 1 secondary single component

Winding Operating Current:

2.1 amperes ac single component single secondary

Winding Power Rating:

250.0 volts-amperes single component single secondary

Winding Operating Voltage:

240.00 ac volts single component all primary

Special Features:

Fuseholders included

Terminal Type And Quantity:

6 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0