

View Online at <https://aerobasegroup.com/nsn/5950-01-374-8439>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.125 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.500 inches single mounting facility single center group

Mounting Hole Diameter:

0.218 inches single group

Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

3.750 inches

Body Width:

3.125 inches

Body Height:

3.025 inches

End Application:

6625-01-275-6268

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

2 primary single component and 3 secondary single component

Winding Operating Current:

700.0 milliamperes ac single component 1st secondary400.0 milliamperes ac single component 2nd secondary6.6 amperes ac single component 3rd secondary

Winding Operating Voltage:

28.00 ac pounds per hour wet single component 1st secondary16.00 ac pounds per hour wet single component 2nd secondary5.90 ac pounds per hour wet single component 3rd secondary110.00 ac pounds per hour dry single component all primary and 120.00 ac pounds per hour with retaining chain single component all primary

Terminal Type And Quantity:

6 wire lead and 2 connector, plug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0