## NSN 5950-01-374-8439

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-374-8439
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.125 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.500 inches single mounting facility single center group
Mounting Hole Diameter:
0.218 inches single group
Frequency Rating:
50.0 hertz single component or 60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Body Length:
3.750 inches
Body Width:
3.125 inches
Body Height:
3.025 inches
End Application:
6625-01-275-6268
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Unthreaded hole single group
Winding Function And Quantity:
2 primary single component and 3 secondary single component
Winding Operating Current:
700.0 milliamperes ac single component 1st secondary400.0 milliamperes ac single component 2nd secondary6.6 amperes ac single
component 3rd secondary
Winding Operating Voltage:
28.00 ac pounds per hour wet single component 1st secondary16.00 ac pounds per hour wet single component 2nd secondary5.90 ac
pounds per hour wet single component 3rd secondary110.00 ac pounds per hour dry single component all primary and 120.00 ac pounds
per hour with retaining chain single component all primary
Terminal Type And Quantity:
6 wire lead and 2 connector, plug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

No