

View Online at <https://aerobasegroup.com/nsn/5950-01-375-5059>

**Reliability Indicator:**

Not established

**Hazardous Locations/environmental Protection:**

Vibration resistant and moisture resistant

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

5.105 inches single mounting facility single center group and 5.145 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

4.605 inches single mounting facility single center group and 4.645 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

6.040 inches

**Body Width:**

5.540 inches

**Body Height:**

3.510 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.250 inches single group

**Winding Operating Current:**

850.0 milliamperes ac single component single primary

**Winding Power Rating:**

9.0 watts single component single primary

**Winding Operating Voltage:**

230.00 ac volts single component single primary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

5 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0