

View Online at <https://aerobasegroup.com/nsn/5950-01-376-3009>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.418 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.418 inches single mounting facility single center group

Mounting Hole Diameter:

0.148 inches single group and 0.154 inches single group

Frequency Rating:

35.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.700 inches

Body Width:

1.700 inches

Body Height:

0.750 inches

Maximum Operating Temp:

125.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

500.0 milliamperes dc single component 1st secondary

Winding Operating Voltage:

5.50 dc volts single component 2nd secondary

Test Data Document:

57957-c5118088 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

9 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0