

View Online at <https://aerobasegroup.com/nsn/5950-01-377-0121>

**Reliability Indicator:**

Not established

**Overall Length:**

3.040 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.200 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.550 inches single mounting facility single center group

**Overall Height:**

1.520 inches

**Overall Width:**

2.160 inches

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Delta-delta and delta-wye

**Winding Shielding Method:**

Internal shield grounded to core and mounting single component

**Maximum Operating Temp:**

140.0 degrees celsius

**Inclosure Type:**

Open

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 3 secondary single component

**Thread Size:**

0.112 inches single group

**Winding Operating Voltage:**

173.00 ac volts single component single primary and 216.50 ac volts single component single primary

**Test Data Document:**

95105-276-0026 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

13 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0