

View Online at <https://aerobasegroup.com/nsn/5950-01-377-0121>

Reliability Indicator:

Not established

Overall Length:

3.040 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.200 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.550 inches single mounting facility single center group

Overall Height:

1.520 inches

Overall Width:

2.160 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta and delta-wye

Winding Shielding Method:

Internal shield grounded to core and mounting single component

Maximum Operating Temp:

140.0 degrees celsius

Inclosure Type:

Open

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.112 inches single group

Winding Operating Voltage:

173.00 ac volts single component single primary and 216.50 ac volts single component single primary

Test Data Document:

95105-276-0026 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

13 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0