# NSN 5950-01-380-9846

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-380-9846

## **Reliability Indicator:**

Not established

## Hazardous Locations/environmental Protection:

Fungus resistant and flame resistant and salt spray resistant

## **Overall Length:**

5.020 inches

#### **Overall Height:**

5.170 inches

#### Mounting Hole Diameter:

0.109 inches 2nd group

#### Mounting Slot Width:

0.109 inches 2nd group

#### **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

# **Transformer Winding Connection Type:**

Delta-wye

## Winding Shielding Method:

Internally shielded single component

## Body Width:

2.620 inches

## Maximum Operating Temp:

200.0 degrees celsius

## **Distance Between Mounting Facility Centers:**

1.780 inches all mounting facilities all center groupings and 1.820 inches all mounting facilities all center groupings

#### Inclosure Type:

Fully enclosed

## **Mounting Facility Quantity:**

2 2nd group

## **Mounting Method:**

Bracket all groupings and unthreaded hole all groupings and slot all groupings

## Winding Function And Quantity:

1 primary single component and 3 secondary single component

#### **Features Provided:**

Color coded lead

## Winding Operating Current:

500.0 milliamperes ac single component 2nd secondary

## Winding Operating Voltage:

215.00 ac volts single component single primary

## Terminal Type And Quantity:

15 wire lead

# NSN 5950-01-380-9846

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A058b0

