

View Online at <https://aerobasegroup.com/nsn/5950-01-381-7373>

**Reliability Indicator:**

Not established

**Overall Length:**

250.0 millimeters

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

190.0 millimeters single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

89.0 millimeters single mounting facility single center group

**Overall Height:**

208.0 millimeters

**Overall Width:**

110.0 millimeters

**Mounting Slot Width:**

9.0 millimeters single group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Three phase to six phase single component

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Maximum Operating Temp:**

65.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

6 single group

**Mounting Method:**

Slot single group

**Winding Function And Quantity:**

3 primary single component and 6 secondary single component

**Winding Operating Current:**

24.6 amperes ac single component 2nd secondary

**Winding Power Rating:**

2.38 k1lovolt-amperes single component single primary

**Winding Operating Voltage:**

115.00 ac pounds per hour wet single component single primary

**Terminal Type And Quantity:**

2 terminal block w/screws

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0