

View Online at <https://aerobasegroup.com/nsn/5950-01-381-8743>

Reliability Indicator:

Not established

Hazardous Locations/environmental Protection:

Salt spray proof and vibration resistant

Overall Length:

1.600 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.000 inches single mounting facility single center group

Overall Height:

1.820 inches

Overall Width:

1.370 inches

Inductance Rating:

1.00 millihenries single component single primary

Frequency Rating:

15.75 kilohertz single component

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Features Provided:

Tinned wire leads

Thread Size:

0.112 inches single group

Dc Resistance Rating In Ohms:

0.110 single component all winding

Special Features:

P/n 865520-1 altered by addition of two mounting pads

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0