
NSN 5950-01-385-6685

Reactor - Page 1 of 2





Reliability Indicator:

Not established

Inductance Type:

Fixed

Inductance Rating:

20.00 millihenries single component all winding

Frequency Rating:

10.0 kilohertz single component

Body Length:

0.635 inches

Overall Diameter:

0.950 inches

Maximum Operating Temp:

130.0 degrees celsius

Winding Quantity:

2 single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Threaded hole single group

Rating Method:

Electrical single component all winding

Thread Size:

0.138 inches single group

Winding Operating Current:

290.0 milliamperes dc single component all winding

Dc Resistance Rating In Ohms:

10.200 single component all winding

Special Features:

Magnetically shielded

Test Data Document:

81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 wire lead

Specification Data:

81349-mil-t-27/356 government specification

Shelf Life:

N/a

NSN 5950-01-385-6685

Reactor - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0

