

View Online at <https://aerobasegroup.com/nsn/5950-01-388-5922>

Reliability Indicator:

Not established

Mounting Hole Diameter:

0.170 inches single group and 0.230 inches single group

Frequency Rating:

40.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.250 inches

Overall Diameter:

2.000 inches

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

1 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

2.2 amperes ac single component single secondary

Winding Power Rating:

160.0 volts-amperes single component single primary

Winding Operating Voltage:

140.00 ac volts single component single primary

Test Data Document:

12464-b86k0210 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

5 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0