NSN 5950-01-394-3629



Reactor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-01-394-3629 **Reliability Indicator:** Not established **Inductance Type:** Fixed **Inductance Rating:** 0.1875 millihenries single component all winding Frequency Rating: 10.0 kilohertz single component **Body Length:** 0.500 inches **Overall Diameter:** 0.800 inches **Maximum Operating Temp:** 130.0 degrees celsius Winding Quantity: 2 single component **Inclosure Type:** Fully enclosed **Mounting Method:** Terminal single group **Rating Method:** Electrical single component all winding **Winding Operating Current:** 760.0 milliamperes dc single component all winding Dc Resistance Rating In Ohms: 0.1175 single component all winding **Special Features:** Dwv sea level 1000v rms dwv reduced 500 v rms **Special Test Features:** Higher dwv requirement **Test Data Document:** 81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 4 wire lead **Specification Data:** 81349-mil-t-27/356-44 government specification and 20418-es6173 manufacturers specification control Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5950-01-394-3629

Reactor - Page 2 of 2



Fiig:

A058b0