

View Online at <https://aerobasegroup.com/nsn/5950-01-396-8620>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.540 inches single mounting facility single center group and 2.580 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.850 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Body Length:**

2.970 inches

**Body Width:**

2.300 inches

**Body Height:**

1.490 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 6 secondary single component

**Thread Size:**

0.112 inches single group

**Winding Operating Current:**

470.0 milliamperes ac single component 3rd secondary

**Winding Operating Voltage:**

115.00 ac volts single component single primary

**Special Features:**

Windings 1 through 4 are internally connected to center tap of winding no 5

**Test Data Document:**

77245-175614 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

14 pin

**Specification Data:**

77245-175614-101 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0