NSN 5950-01-435-5370

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-435-5370

View Online at https://aerobasegroup.com/nsn/5950-01-435-5370
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.400 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
35.00 microhenries single component single winding
Frequency Rating:
40.0 kilohertz single component
Body Length:
1.860 inches
Body Width:
1.640 inches
Body Height:
1.860 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.112 inches single group
Winding Operating Current:
25.0 amperes dc single component single winding and 33.0 amperes dc single component single winding
Dc Resistance Rating In Ohms:
0.015 single component single winding
Test Data Document:
95542-151-537 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Unc single group

Terminal Type And Quantity:

Thread Series Designator:

2 pin

NSN 5950-01-435-5370

Reactor - Page 2 of 2



		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0