NSN 5950-01-435-5980

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-435-5980

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility single center group
Overall Height:
1.150 inches
Inductance Type:
Fixed
Inductance Rating:
2.00 millihenries single component single winding and 11.00 millihenries single component single winding
Frequency Rating:
2.4 kilohertz single component and 35.7 kilohertz single component
Body Length:
1.360 inches
Body Width:
1.360 inches
Body Height:
0.900 inches
Maximum Operating Temp:
130.0 degrees celsius
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
2 single group
Mounting Method:
Threaded hole single group
Rating Method:
Electrical single component single winding
Thread Size:
0.112 inches single group
Winding Operating Current:
970.0 milliamperes ac single component single winding and 1.5 amperes ac single component single winding
Dc Resistance Rating In Ohms:
1.240 single component single winding
Test Data Decument:

95542-151-537 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc single group

NSN 5950-01-435-5980

Reactor - Page 2 of 2



Terminal Type And Quantity:
2 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A058b0