## NSN 5950-01-463-2380

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-01-463-2380
Reliability Indicator:
Not established
Overall Length:
Between 0.920 inches and 0.980 inches
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Maximum Transformer Power Rating:
15.0 volt-ampere single component
Body Outside Diameter:
Between 1.590 inches and 1.650 inches
Maximum Operating Temp:
130.0 degrees celsius
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
1 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thread Size:
0.138 inches single group
Winding Operating Current:
3.00 amperes ac single component single secondary
Winding Operating Voltage:
5.00 ac volts single component single secondary
Test Data Document:
81349-mil-t-27 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
5 feed thru
Specification Data:
81349-mil-t-27/350 government specification
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5950-01-463-2380

Power Transformer - Page 2 of 2



Fiig:

A058b0