

View Online at <https://aerobasegroup.com/nsn/5950-01-467-8141>

Reliability Indicator:

Not established

Overall Length:

Between 35.9 millimeters and 36.7 millimeters

Center To Center Distance Between Mounting Facilities Parallel To Length:

29.7 millimeters single mounting facility single center group and 30.4 millimeters single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

24.7 millimeters single mounting facility single center group and 25.5 millimeters single mounting facility single center group

Overall Height:

Between 31.9 millimeters and 32.7 millimeters

Mounting Hole Diameter:

2.8 millimeters single group and 3.1 millimeters single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Width:

Between 31.1 millimeters and 31.9 millimeters

Maximum Operating Temp:

130.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

2 single group

Mounting Method:

Unthreaded hole single group

Winding Operating Current:

0.428 amperes ac single component single secondary

Winding Operating Voltage:

35.00 ac volts single component single secondary

Terminal Type And Quantity:

5 turret

Specification Data:

81349-mil-t-27/340 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0

Mil-std (military Standard):

Mil-prf-27 spec.