

View Online at <https://aerobasegroup.com/nsn/5950-01-480-3554>

Reliability Indicator:

Not established

Overall Length:

0.165 inches

Overall Height:

0.225 inches

Overall Width:

0.130 inches

Inductance Rating:

0.080 microhenries single component single winding and 0.120 microhenries single component single winding

End Application:

Stv camera sy

Winding Quantity:

1 single component

Inclosure Type:

Fully enclosed

Rating Method:

Electrical single component single winding

Winding Operating Current:

645.0 milliamperes ac single component single winding

Dc Resistance Rating In Ohms:

0.060 single component single primary

Special Features:

Self-resonant frequency: 490 mhz

Test Data Document:

81349-mil-prf--83446 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 bonding pad

Specification Data:

81349-mil-prf--83446/9-10 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

Mil-std (military Standard):

Mil-prf--83446 spec.