

View Online at <https://aerobasegroup.com/nsn/5950-01-488-4471>

Reliability Indicator:

Not established

Overall Length:

89.0 millimeters

Center To Center Distance Between Mounting Facilities Parallel To Length:

64.0 millimeters single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

64.0 millimeters single mounting facility single center group

Overall Height:

65.0 millimeters

Overall Width:

76.0 millimeters

Mounting Slot Width:

5.0 millimeters single group

Frequency Rating:

50.0 hertz single component and 60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Slot single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

0.68 amperes ac single component 1st secondary

Winding Power Rating:

75.0 volts-amperes single component single primary input

Winding Operating Voltage:

380.00 ac volts single component single primary input and 400.00 ac volts single component single primary input and 415.00 ac volts single component single primary input

Terminal Type And Quantity:

8 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0