NSN 5950-01-495-8501

Power Transformer - Page 1 of 2

Reliability Indicator:

Not established

Overall Length:



View Online at https://aerobasegroup.com/nsn/5950-01-495-8501

| 12.440 inches |
|---|
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 11.440 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 8.820 inches single mounting facility single center group |
| Overall Height: |
| 6.000 inches |
| Overall Width: |
| 11.210 inches |
| Mounting Hole Diameter: |
| 0.257 inches single group |
| Frequency Rating: |
| 400.0 hertz single component |
| Input-output Phase Relationship: |
| Three phase to three phase single component |
| Maximum Transformer Power Rating: |
| 12.5 kilovolt-ampere single component |
| End Application: |
| B-1b |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Unthreaded hole single group |
| Winding Function And Quantity: |
| 3 primary single component and 3 secondary single component |
| Winding Operating Current: |
| 36.0 amperes ac single component all secondary |
| Winding Operating Voltage: |
| 230.00 ac volts single component all primary |
| Special Features: |
| Two handles mounted on sides |
| Terminal Type And Quantity: |
| 1 connector, receptacle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

NSN 5950-01-495-8501

Power Transformer - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A058b0