# NSN 5950-01-569-5469

Potential Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-01-569-5469

# Reliability Indicator:

Not established

#### **Overall Length:**

7.750 inches

### Center To Center Distance Between Mounting Facilities Parallel To Length:

5.930 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

3.350 inches single mounting facility single center group

#### **Overall Height:**

5.190 inches

**Overall Width:** 

5.190 inches

#### Mounting Hole Diameter:

0.330 inches single group

#### Frequency Rating:

50.0 hertz single component or 60.0 hertz single component

#### End Application:

Power control cabinet assembly, 4g10503g01; wsd: seawolf class ssn

Inclosure Type:

Fully enclosed

# Mounting Facility Quantity:

4 single group

#### **Mounting Method:**

Unthreaded hole single group

#### Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Winding Operating Voltage:

2400.00 ac pounds per hour wet single component single primary

#### **Product Name:**

Inavy-5kv class potential transformer

#### **Special Features:**

Primary fuse size: 1/8; insulation rating (hv-lv, hv-ground) 5.0kv bil 60kv; glass-filled nylon 6.6 enclosure, euro-strip low voltage terminals

under abs terminal cover, will accept 14-28 awg hookup wire

#### **Terminal Type And Quantity:**

2 screw and 6 quick disconnect, female

#### Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A058b0