

View Online at <https://aerobasegroup.com/nsn/5950-01-626-9761>

**Reliability Indicator:**

Not established

**Overall Length:**

Between 0.669 inches and 0.681 inches

**Overall Height:**

0.300 inches

**Overall Width:**

0.630 inches

**Impedance Rating In Ohms:**

2000.0 1st component 2nd primary

**Frequency Rating:**

250.0 kilohertz all components

**Transformer Winding Connection Type:**

Taylor

**Body Length:**

0.625 inches

**Body Width:**

0.630 inches

**Body Height:**

Between 0.285 inches and 0.296 inches

**Maximum Operating Temp:**

130.0 degrees celsius

**Distance Between Mounting Facility Centers:**

0.200 inches 1st mounting facili type 1st center group

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal all groupings

**Specificational Handling Feature:**

Pilferable

**Winding Function And Quantity:**

2 primary, fixed autotransformer type all components

**Features Provided:**

Tinned wire leads and protective cover

**Dc Resistance Rating In Ohms:**

2.000 all components all primary output

**Winding Operating Voltage:**

3.3 dc volts all components all primary output

**Product Name:**

Lvb-4223 3.3 volt pulse transformer

**Special Features:**

Temperature rangem55.0 degrees c to 130.0 degrees c, pulse width 2 microseconds at 3.3 vdc amplitude

**Terminal Type And Quantity:**

8 pin

**Specification Data:**

81349-mil-prf-21038 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0

**Mil-std (military Standard):**

Mil-prf-21038 spec.