## NSN 5950-01-626-9761

Pulse Transformer - Page 1 of 2

Between 0.669 inches and 0.681 inches

Impedance Rating In Ohms: 2000.0 1st component 2nd primary

**Reliability Indicator:** 

Not established

Overall Length:

Overall Height: 0.300 inches Overall Width: 0.630 inches



View Online at https://aerobasegroup.com/nsn/5950-01-626-9761

Frequency Rating:
250.0 kilohertz all components
Transformer Winding Connection Type:
Taylor
Body Length:
0.625 inches
Body Width:
0.630 inches
Body Height:
Between 0.285 inches and 0.296 inches
Maximum Operating Temp:
130.0 degrees celsius
Distance Between Mounting Facility Centers:
0.200 inches 1st mounting facili type 1st center group
Inclosure Type:
Fully enclosed
Mounting Method:
Terminal all groupings
Specificationial Handling Feature:
Pilferable
Winding Function And Quantity:
2 primary, fixed autotransformer type all components
Features Provided:
Tinned wire leads and protective cover
Dc Resistance Rating In Ohms:
2.000 all components all primary output
Winding Operating Voltage:
3.3 dc volts all components all primary output
Product Name:
Lvb-4223 3.3 volt pulse transformer
Special Features:
Temperature rangem55.0 degrees c to 130.0 degrees c, pulse width 2 microseconds at 3.3 vdc amplitude

## NSN 5950-01-626-9761

Pulse Transformer - Page 2 of 2



Terminal Type And Quantity:
8 pin
Specification Data:
81349-mil-prf-21038 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A058b0
Mil-std (military Standard):

Mil-prf-21038 spec.