## NSN 5955-00-008-6966

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-008-6966

**Overall Length:** 0.530 inches **Terminal Length:** 0.500 inches **Overall Width:** 0.435 inches **Body Width:** 0.402 inches **Body Thickness:** 0.150 inches **Overall Thickness:** 0.183 inches **Terminal Diameter:** Between 0.016 inches and 0.019 inches Mode Of Oscillation: Third overtone **Circuit Resonance:** Series resonance Shunt Capacitance In Picofarads: 3.5 **Specified Frequency:** 33.222222 megahertz Holder Cover Material: Metal **Operating Tempurature Range:** -55.0 to 105.0 degrees celsius **Center To Center Distance Between Terminals:** Between 0.184 inches and 0.200 inches **Drive Level Rating:** Between 1.6 milliwatts and 2.4 milliwatts **Frequency Tolerance For Operating Tempurature In Percent:** -0.002 to 0.002 and -0.003 to 0.003 **Equivalent Resistance Value In Ohms:** 40.0 Style Designator: Oval body, wire leads **Test Data Document:** 

81349-mil-c-3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-c-3098/53 government specification

Shelf Life:

## NSN 5955-00-008-6966

Quartz Crystal Unit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A059a0

