NSN 5955-00-045-4015

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-045-4015

Overall Le	
0.780 inche	95
Terminal L	•
Between 0.	250 inches and 0.255 inches
Overall Wi	dth:
	408 inches and 0.428 inches
Body Leng	ith:
Between 0.	500 inches and 0.525 inches
Body Widt	h:
Between 0.	394 inches and 0.401 inches
Body Thic	kness:
Between 0.	142 inches and 0.149 inches
Overall Th	ickness:
0.176 inche	95
Terminal D	
Between 0.	038 inches and 0.042 inches
Mode Of O	scillation:
Third overto	one
Circuit Res	sonance:
Antiresonai	nce
Load Capa	citance In Picofarads:
Between 3.	5 and 4.5
Shunt Cap	acitance In Picofarads:
7.0	
Specified I	Frequency:
38.14815 n	negahertz
Holder Cov	ver Material:
Metal	
Operating	Tempurature Range:
-55.0/+90.0	degrees celsius
Center To	Center Distance Between Terminals:
Between 0.	184 inches and 0.200 centimeters
Drive Leve	I Rating:
Between 1.	6 milliwatts and 2.4 milliwatts
Frequency	Tolerance For Operating Tempurature In Percent:
-0.003 to 0.	003
Equivalent	Resistance Value In Ohms:
35.0	
Style Desig	gnator:
Oval body,	pin terminals
Specificati	on Data:
45413-1320	006 manufacturers source control

NSN 5955-00-045-4015

Quartz Crystal Unit - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A059a0

