# NSN 5955-00-128-6851

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-128-6851

| Overa | II Le | ngth: |
|-------|-------|-------|
|       |       |       |

Between 1.177 inches and 1.222 inches

**Terminal Length:** 

Between 0.422 inches and 0.447 inches

**Overall Width:** 

Between 0.745 inches and 0.750 inches

**Body Length:** 

Between 0.755 inches and 0.775 inches

**Body Width:** 

Between 0.715 inches and 0.722 inches

**Body Thickness:** 

Between 0.310 inches and 0.317 inches

**Overall Thickness:** 

Between 0.340 inches and 0.345 inches

**Terminal Diameter:** 

Between 0.091 inches and 0.095 inches

**Mode Of Oscillation:** 

**Fundamental** 

**Circuit Resonance:** 

Series resonance

**Specified Frequency:** 

5.600 megahertz

**Holder Cover Material:** 

Metal

#### **Operating Tempurature Range:**

-40.0/+70.0 degrees celsius

#### **Center To Center Distance Between Terminals:**

Between 0.478 inches and 0.494 centimeters

**Drive Level Rating:** 

Between 35.0 milliwatts and 45.0 milliwatts

## Frequency Tolerance For Operating Tempurature In Percent:

-0.020 to 0.020

### **Equivalent Resistance Value In Ohms:**

450.0

#### **Style Designator:**

Oval body, pin terminals

#### **Test Data Document:**

81349-10405 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5955-00-128-6851

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A059a0