NSN 5955-00-128-6851

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-128-6851

Overa	II Le	ngth:

Between 1.177 inches and 1.222 inches

Terminal Length:

Between 0.422 inches and 0.447 inches

Overall Width:

Between 0.745 inches and 0.750 inches

Body Length:

Between 0.755 inches and 0.775 inches

Body Width:

Between 0.715 inches and 0.722 inches

Body Thickness:

Between 0.310 inches and 0.317 inches

Overall Thickness:

Between 0.340 inches and 0.345 inches

Terminal Diameter:

Between 0.091 inches and 0.095 inches

Mode Of Oscillation:

Fundamental

Circuit Resonance:

Series resonance

Specified Frequency:

5.600 megahertz

Holder Cover Material:

Metal

Operating Tempurature Range:

-40.0/+70.0 degrees celsius

Center To Center Distance Between Terminals:

Between 0.478 inches and 0.494 centimeters

Drive Level Rating:

Between 35.0 milliwatts and 45.0 milliwatts

Frequency Tolerance For Operating Tempurature In Percent:

-0.020 to 0.020

Equivalent Resistance Value In Ohms:

450.0

Style Designator:

Oval body, pin terminals

Test Data Document:

81349-10405 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

NSN 5955-00-128-6851

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A059a0