## NSN 5955-00-128-7846



Quartz Crystal Unit - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-00-128-7846 **Overall Length:** 1.593 inches **Terminal Length:** 0.468 inches Overall Width: Between 0.797 inches and 0.827 inches **Body Length:** Between 1.110 inches and 1.140 inches **Overall Thickness:** Between 0.407 inches and 0.447 inches **Terminal Diameter:** Between 0.091 inches and 0.095 inches Mode Of Oscillation: **Fundamental Circuit Resonance:** Antiresonance **Load Capacitance In Picofarads:** 13.0 **Specified Frequency:** 7.350 megahertz **Holder Cover Material:** Plastic **Operating Tempurature Range:** -40.0/+70.0 degrees celsius **Center To Center Distance Between Terminals:** 0.486 inches **Drive Level Rating:** 30.0 milliwatts **Frequency Tolerance For Operating Tempurature In Percent:** -0.020 to 0.020 **Equivalent Resistance Value In Ohms: Style Designator:** Rectangular body, pin terminals **Test Data Document:** 81349-mil-c-10405 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification

81349-mil-c-10405 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

81349-mil-c-10405/5 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5955-00-128-7846

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A059a0