NSN 5955-00-128-9335

Quartz Crystal Unit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5955-00-128-9335

0	rerall Length:
	593 inches
Те	rminal Length:
	l68 inches
0	rerall Width:
Be	tween 0.797 inches and 0.827 inches
Вс	dy Length:
Be	tween 1.110 inches and 1.140 inches
0	rerall Thickness:
Be	tween 0.407 inches and 0.447 inches
Ге	rminal Diameter:
36	tween 0.091 inches and 0.095 inches
N	ode Of Oscillation:
Ξι	ndamental
Ci	rcuit Resonance:
٩r	tiresonance
Lc	ad Capacitance In Picofarads:
13	.0
۶p	ecified Frequency:
3.2	250 megahertz
ю	Ider Cover Material:
۶Į	astic
Ŋ	perating Tempurature Range:
4	0.0/+70.0 degrees celsius
Ce	enter To Center Distance Between Terminals:
).4	l86 inches
Fr	equency Tolerance For Operating Tempurature In Percent:
-0	020/+0.020
Εc	uivalent Resistance Value In Ohms:
50	.0
St	yle Designator:
Re	ctangular body, pin terminals
Те	st Data Document:
81	349-milc10405 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
foi	mat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
en	vironmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Sł	elf Life:
N/	a
Ur	it Of Measure:
De	militarization:
Ye	s - demil/mli
Fii	g:

A059a0