## NSN 5955-00-165-2935

Noncrystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-165-2935 **Inclosure Material:** Aluminum **Overall Length:** Between 7.875 inches and 8.125 inches Overall Diameter: Between 5.030 inches and 5.090 inches **Vibration Resistance Range In Hertz:** +5.0 to 500.0 **Vibration Resistance Amplitude:** 10.0 gravitational units **Shock Resistance Rating In Gravitational Units:** 10.0 **Operating Tempurature Range:** -40.0 to 85.0 degrees celsius **Average Life Rating:** 3500.0 **Storage Tempurature Range:** -62.0 to 85.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 3500.0 **Basic Shape Style:** Cylindrical **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Mechanical **Control Type:** Remote **Circuit Construction Type:** Electron tube Frequency Per Channel: 15.5 gigahertz operating channel and 17.6 gigahertz operating channel **Connection Type And Location:** Receptacle, coaxial left side **Connection Contact Type And Quantity:** 1 receptacle, coaxial external **External Dc Operating Voltage In Volts:** 

9.0 1st voltage

## NSN 5955-00-165-2935

Noncrystal Controlled Oscillator - Page 2 of 2



Spec	ial	<b>Features</b>

Includes waveguide with ug-541a/u flange

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200