NSN 5955-00-244-5872

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-244-5872

0	verall Length:
0.	800 inches
T€	erminal Length:
Be	etween 0.192 inches and 0.217 inches
0	verall Width:
0.	750 inches
B	ody Length:
Be	etween 0.565 inches and 0.583 inches
B	ody Width:
0.	720 inches
B	ody Thickness:
0.	315 inches
0	verall Thickness:
0.	345 inches
T€	erminal Diameter:
Be	etween 0.048 inches and 0.052 inches
М	ode Of Oscillation:
Fι	undamental
Ci	ircuit Resonance:
Ar	ntiresonance
Lo	oad Capacitance In Picofarads:
Be	etween 27.5 and 28.5
S	pecified Frequency:
6.	04815 megahertz
H	older Cover Material:
Μ	etal
O	perating Tempurature Range:
+5	50.0/+85.0 degrees celsius
C	enter To Center Distance Between Terminals:
0.	476 mils and 0.496 centimeters
Fr	requency Tolerance For Operating Tempurature In Percent:
-0	.007/+0.007
E	quivalent Resistance Value In Ohms:
50	0.0
St	yle Designator:
0	val body, pin terminals
Te	est Data Document:
81	349-milc16836 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
fo	rmat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
er	nvironmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

NSN 5955-00-244-5872

Quartz Crystal Unit - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A059a0

