Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-306-4272

Overall Length:
3.340 inches
Overall Height:
1.250 inches
Overall Width:
2.500 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-0.0 to 55.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
Sulzer model 1105-23732
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Hermetically sealed
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
1.0 megahertz output channel
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
Not rated
Signal Voltage Rating Per Channel:
5.000 volts input
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Distortion Type And Percent:
3.0 frequency
Maximum Continuous Operating Time In Hours:
Not rated

Crystal Controlled Oscillator - Page 2 of 2



Connection Type And Location:

Wire lead terminals bottom

Connection Contact Type And Quantity:

5 wire lead terminals external

External Dc Operating Voltage In Volts:

5.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200