NSN 5955-00-400-0134

Noncrystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-400-0134
Overall Length:
3.500 inches
Overall Height:
1.000 inches
Overall Width:
2.650 inches
Environmental Protection:
General purpose
Average Life Measurement:
Not rated
End Application:
5815-00-881-2053, converter frequency, cv-2455/prc-47
Basic Shape Style:
Rectangular or square
Identification Designator:
7759-93-700-1134
Inclosure Type:
Encapsulated
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
2.4 kilohertz operating channel err-100
Frequency Adjustment Type:
Stepped
Individual Step Frequency:
100.0 hertz
Average Power Rating Per Channel:
3.0 milliwatts output
Impedance Rating Per Channel:
50.000 ohms operating channel
Distortion Type And Percent:
1.5 amplitude
Indicator Device Type And Quantity:

1 cathode ray tube

Connection Type And Location:

Solder lug bottom

Connection Contact Type And Quantity:

4 solder lug external

External Dc Operating Voltage In Volts:

15.0 single voltage

NSN 5955-00-400-0134

Noncrystal Controlled Oscillator - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200