## NSN 5955-00-445-6173

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-445-6173

**Overall Length:** 

Between 0.973 inches and 1.023 inches

**Terminal Length:** 

Between 0.223 inches and 0.248 inches

**Overall Width:** 

0.757 inches

**Body Length:** 

Between 0.750 inches and 0.775 inches

**Overall Thickness:** 

0.352 inches

**Terminal Diameter:** 

Between 0.048 inches and 0.052 inches

**Mode Of Oscillation:** 

Fifth overtone

**Circuit Resonance:** 

Series resonance

**Shunt Capacitance In Picofarads:** 

3.0

**Specified Frequency:** 

65.100 megahertz

**Frequency Tolerance At Reference Tempurature In Percent:** 

-0.00025/+0.00025

**Frequency Stability In Percent:** 

-0.00025/+0.00025

**Controlled Reference Temp:** 

75.0 degrees celsius

**Operable Tempurature Range:** 

-55.0/+90.0 degrees celsius

**Holder Cover Material:** 

Metal

**Operating Tempurature Range:** 

+70.0/+80.0 degrees celsius

**Center To Center Distance Between Terminals:** 

0.478 mils and 0.494 centimeters

**Drive Level Rating:** 

Between 0.8 milliwatts and 1.2 milliwatts

Frequency Tolerance For Operating Tempurature In Percent:

-0.00025/+0.00025

**Equivalent Resistance Value In Ohms:** 

40.0

**Style Designator:** 

Oval body, pin terminals

## NSN 5955-00-445-6173

Quartz Crystal Unit - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A059a0