

View Online at <https://aerobasegroup.com/nsn/5955-00-454-8703>

Overall Length:

2.000 inches

Overall Height:

0.750 inches

Overall Width:

1.875 inches

Environmental Protection:

General purpose

Vibration Resistance Range In Hertz:

+21.0 to 400.0

Vibration Resistance Amplitude:

9.0 gravitational units

Shock Resistance Rating In Gravitational Units:

75.0

Operating Temperature Range:

-40.0 to 175.0 degrees fahrenheit

Average Life Measurement:

Not rated

Basic Shape Style:

Irregular

Maximum Operating Altitude Rating:

10000.0 feet

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Local

Circuit Construction Type:

Solid state

Frequency Per Channel:

9.153 gigahertz operating channel

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

12.0 milliwatts output

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

Not rated

Impedance Rating Per Channel:

Not rated

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Receptacle, coaxial bottom

Connection Contact Type And Quantity:

3 receptacle, coaxial external

External Dc Operating Voltage In Volts:

15.0 single voltage

Criticality Code Justification:

Bhtb

Test Data Document:

19200-10549176 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200