Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-466-9779

Overall Length:
1.000 inches
Overall Height:
0.380 inches
Overall Width:
1.000 inches
Vibration Resistance Range In Hertz:
+10.0/+500.0
Vibration Resistance Amplitude:
10.0 gravitational units
Shock Resistance Rating In Gravitational Units:
50.0
Operating Tempurature Range:
+0.0/+75.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
8000.0 feet
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
10.4918 megahertz operating channel
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
4 pin external
External Dc Operating Voltage In Volts:
5.0 single voltage
Shelf Life:
N/a

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200