NSN 5955-00-581-5478

Crystal Controlled Oscillator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5955-00-581-5478



Overall Length: 0.750 inches **Overall Height:** 0.375 inches **Overall Width:** 0.470 inches **Vibration Resistance Range In Hertz:** +5.0 to 55.0 **Shock Resistance Rating In Gravitational Units:** 40.0 **Operating Tempurature Range:** -0.0 to 70.0 degrees celsius Average Life Rating: 2000.0 **Average Life Measurement: Average Life Rating In Hours:** 2000.0 **Basic Shape Style:** Rectangular or square **Identification Designator:** K1091a1d-000mhz-01537 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 4.0 megahertz input channel **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated Impedance Rating Per Channel:

Not rated

NSN 5955-00-581-5478

Crystal Controlled Oscillator - Page 2 of 2



Maximum Continuous Operating Time In Hours:
2000.0
Connection Type And Location:
Wire lead terminals bottom
Connection Contact Type And Quantity:
14 wire lead terminals external
External Dc Operating Voltage In Volts:
5.0 single voltage
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A32200