

View Online at <https://aerobasegroup.com/nsn/5955-00-598-3650>

Overall Length:

1.000 inches

Overall Height:

0.380 inches

Overall Width:

1.000 inches

Environmental Protection:

Fungus proof

Vibration Resistance Range In Hertz:

+10.0 to 500.0

Vibration Resistance Amplitude:

10.0 gravitational units

Shock Resistance Rating In Gravitational Units:

50.0

Operating Temperature Range:

+0.0 to 75.0 degrees celsius

Average Life Rating:

500000.0

Average Life Measurement:

Hours

Average Life Rating In Hours:

500000.0

Basic Shape Style:

Rectangular or square

Identification Designator:

723859-4-05869

Maximum Operating Altitude Rating:

8000.0 feet

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

8.3 megahertz operating channel

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

3.000 volts output

Overall Gain:

Not rated

Impedance Rating Per Channel:

Not rated

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Wire lead terminals bottom

Connection Contact Type And Quantity:

4 wire lead terminals external

External Dc Operating Voltage In Volts:

5.0 single voltage

Test Data Document:

05869-723859 standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200