NSN 5955-00-709-5335

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-709-5335			
Overall Length:			
1.023 inches			
Terminal Length:			
Between 0.223 inches and 0.248 inches			
Overall Width:			
0.757 inches			
Body Length:			
0.775 inches			
Body Width:			
0.725 inches			
Body Thickness:			
0.317 inches			
Overall Thickness:			
0.352 inches			
Terminal Diameter:			
Between 0.048 inches and 0.052 inches			
Mode Of Oscillation:			
Fundamental			
Circuit Resonance:			
Antiresonance			
Load Capacitance In Picofarads:			
Between 31.5 and 32.5			
Shunt Capacitance In Picofarads:			
7.0			
Specified Frequency:			
13.000 megahertz			
Holder Cover Material:			
Metal			
Operating Tempurature Range:			
-55.0/+105.0 degrees celsius			
Center To Center Distance Between Terminals:			
0.478 mils and 0.494 centimeters			
Drive Level Rating:			
Between 8.0 milliwatts and 12.0 milliwatts			
Frequency Tolerance For Operating Tempurature In Percent:			
-0.005/+0.005			
Equivalent Resistance Value In Ohms:			
22.0			
Style Designator:			
Oval body, pin terminals			
Test Data Document:			

81349-milc3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5955-00-709-5335

Quartz Crystal Unit - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A059a0