## NSN 5955-00-738-6322

Quartz Crystal Unit - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5955-00-756-6322
Overall Length:
Between 0.400 inches and 0.425 inches
Terminal Length:
Between 0.213 inches and 0.248 inches
Overall Width:
0.435 inches
Body Width:
Between 0.394 inches and 0.401 inches
Body Thickness:
Between 0.142 inches and 0.149 inches
Overall Thickness:
0.183 inches
Terminal Diameter:
Between 0.038 inches and 0.042 inches
Mode Of Oscillation:
Third overtone and fifth overtone
Circuit Resonance:
Series resonance
Shunt Capacitance In Picofarads:
7.0
Specified Frequency:
57.520 megahertz
Holder Cover Material:
Metal or glass
Operating Tempurature Range:
-30.0/+65.0 degrees celsius
End Application:
6625-00-247-7347
Center To Center Distance Between Terminals:
0.184 mils and 0.200 centimeters
Drive Level Rating:
Between 1.6 milliwatts and 2.4 milliwatts
Frequency Tolerance For Operating Tempurature In Percent:
-0.002/+0.002 and -0.004/+0.004
Equivalent Resistance Value In Ohms:
40.0
Style Designator:
Rectangular body, gull wing
Shelf Life:
N/a
Unit Of Measure:

## NSN 5955-00-738-6322

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A059a0