

View Online at https://aerobasegroup.com/nsn/5955-00-816-6003

| Overall Length:  |
|--|
| 3.000 inches   |
| Overall Height:  |
| 1.000 inches   |
| Overall Width:   |
| 1.250 inches   |
| Operating Tempurature Range:                             |
| -40.0/+55.0 degrees celsius                              |
| Average Life Measurement:                                |
| Not rated  |
| End Application:   |
| Test set, countermeasures ts-2611/alm-69                 |
| Basic Shape Style:                                       |
| Rectangular or square                                    |
| Identification Designator:                               |
| 625041-1-37695   |
| Maximum Operating Altitude Rating:                       |
| 10000.0 feet   |
| Inclosure Type:  |
| Encased  |
| Operating Control Method:                                |
| Automatic  |
| Installation Design:                                     |
| Mechanical   |
| Control Type:  |
| Local  |
| Circuit Construction Type:                               |
| Solid state  |
| Average Power Rating Per Channel:                        |
| 200.0 milliwatts output                                  |
| Signal Voltage Rating Per Channel:                       |
| 28.000 volts input                                       |
| Impedance Rating Per Channel:                            |
| 50.000 ohms operating channel                            |
| Connection Type And Location:                            |
| Receptacle, coaxial left side and solder lug left side   |
| Connection Contact Type And Quantity:                    |
| 1 receptacle, coaxial external and 2 solder lug external |
| External Dc Operating Voltage In Volts:                  |
| 28.0 single voltage                                      |
| Shelf Life:  |
| N/a  |



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200