NSN 5955-00-816-6006

Noncrystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-816-6006 **Overall Length:** 3.000 inches **Overall Height:** 1.000 inches **Overall Width:** 1.250 inches **Operating Tempurature Range:** -40.0/+55.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** Test set, countermeasures ts-2611/alm-69 **Basic Shape Style:** Rectangular or square **Identification Designator:** 625041-3-37695 **Maximum Operating Altitude Rating:** 10000.0 feet **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Mechanical **Control Type:** Local **Circuit Construction Type:** Solid state **Average Power Rating Per Channel:** 200.0 milliwatts output **Signal Voltage Rating Per Channel:** 28.000 volts input **Impedance Rating Per Channel:** 50.000 ohms output channel **Connection Type And Location:** Receptacle, coaxial left side and solder lug left side **Connection Contact Type And Quantity:** 1 receptacle, coaxial external and 2 solder lug external **External Dc Operating Voltage In Volts:** 28.0 single voltage

Shelf Life: N/a

NSN 5955-00-816-6006

Noncrystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200